For	office	use:

### RECEIVED

Maine Land Use Planning Commission Department of Agriculture, Conservation and Forestry

JUN 2 2 2015

**Building Permit** 

Hooking Ho.							- 4111	•	<u>. a.</u>		
1. APPLICANT INFORMATION				- GREEN	IVILLE		For	All Res	idential	Develo	oment
Applicant Name(s) Shown Ric	chard I	Bouchard	Daytime Phon	ne 19-7657	FAX 						
Mailing Address 777 Bellsque	cze Rd				Email						
Town Clinton				State /	16		Z	ip Code	049	27	
2. PROJECT LOCATION AND PROPE	RTY DETAI	LS		***			, .				
Township, Town or Plantation Kings bo	ry Plt		County	Piscat	aguis						
Tax Information (check tax bill)  Map: Plan: () (  Lot size (in acres, or in source feet if less than 1 acre		: 2,3	Deed or Leas Book:		i (chèck deed age:	l or leas		ease #	ŧ:		
Lot size (in acres, or in square feet if less than 1 acre	e) 8			Lot Cove	rage (in squ	are feet)					
All Zoning on Property (check the LUPC map)				Zoning at	Developn	ent S	ite				
Road Frontage. List the name(s) and fronta or private roads, or other rights-of-way adjac	ent to your lo	t:	Water Fronta ponds, rivers	, streams, or	other water	rs on c	r adjac	ent to y	our lot	:	
Road #1: Happy Corner Kd	Front	ageft.	Waterbody #	1:				F	rontage		ft.
Road #1: Happy Corner Rd Road #2:	Front	ageft.	Waterbody #2	2:				F	rontage		ft.
LUPC Approved Subdivision. List the LUF	C approved:	subdivision numl	oer:	SP		and	SP Lo	t #:			
If your property is not part of subdivision or conlact the LUPC office that serves your area)	previously a	approved the Co	ommission, p	lease continu	e to Land [	Divisio	n Histor	y belo	W. (ched	k your (	deed
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those lots from which your property originated (use additional sheet of paper if needed).	(example: Alden Basel Camp	Hewey hard was	lams to Rob Rol + to  Prior  built	Sherri ta ia	Sha that 70's	W47	1/12/1: and unk	Sc	<u>011</u> 00	) acres)	
3. EXISTING STRUCTURES OR USES	6 (Fill in a line f	for each existing st	ructure) P	Previously issue	ed Building f	Permit ı	number (	if appli	cable)		
<u></u>					· · · · · · · · · · · · · · · · · · ·		orizonta	al Dista			of
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built	Exterior din (in fe (LxW	et)	Type of for (full basem post, o	ent, slab,	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Shed	?	8'x8	7	Pads	Rocks						
Wood shed	2	6'×8		Cement							
Old Camp Burnt down	1		21 × 25		45100						
TO 1. 11/ 1.1.7	_	Ww 20'	2)8'								
Rebuilling a but Diggs		7	× 10 500	4							
			701	<u> </u>							

RP	16797	
or.	13373	

JUN 2 2 2015

4. PROPOSED STRUCTURES OR U															
4.1 What is the proposed use of your	prope	erty?		Res	ident	ial only		Residenti	al with Home Occup				psite**	foot!	√f
-			Prop	osal	(chec	k all tha	at apply	)	т	H			ınce (in m near		Ji
Type of structure (dwelling, garage, deck, porch, shed, driveway****, camper, RVs, parking lots, etc.)	New structure***	Reconstruct***	Expand	Relocate	Remove	Enclose deck/porch	Permanent foundation***	Change dimensions or setbacks	Exterior dimensions (in feet) (LxWxH)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Cabin		Ø	V						20'x28x14	•					,
Caom															
														<u> </u>	
					口									<u> </u>	
									***************************************					<u> </u>	
		4							***************************************					<u> </u>	
*4.2 HOME OCCUPATIONS: If use of					Ш							<u> </u>		<u> </u>	<u> </u>
** 4.3 CAMPSITES: If use of your pro a. Will the tents, tent trailer(s), pi for less than 120 days in a cal b. Will the camper(s), trailer(s), a c. Will the campsite have access d. Will the campsite have access *** 4.4 RECONSTRUCTIONS OR NEW existing structure, or adding a a. If the structure or foundation w explain what physical limitation setbacks:	ckup endar nd/or to ar to pe ACCE perm	camp year recre n on-sermar ESSO anen	per(s) r? eation site p nent s PRY S at fou	, recinal versions and versions	reation in the control of the contro	e(s) be red water other the RES: I	egisteresupply and an	trailer(s) o	r similar devices be d ready?self-contained wate fireplace, picnic tabl acting a new acces se from property line	er tank te, or le	d on the	mp)? ?re, rec	□Y□Y□Y onstruction	ES [ ES [ cting a	⊒NO an
b. For reconstructions, has the e	xistin	g stru	icture	bee	n daı	maged,	destroy	ed or reme	oved from your prop	erty?	Eice	********	<b>\</b>	ÉS [	⊒ио
If YES, was the structure in re If YES, provide the date the st	gular	activ	e use	with	in a	2-year r	period p	receding t	he damage, destruc	tion or	remov	al?	□Y	ES [	 
**** 4.5 DRIVEWAYS: If you are located															
a. Are you constructing a new dr volume, or create a safety or o If YES, you must submit Exhit you should check with that off	iraina oit H:	ige co Drive	oncer way/	n reç Entra	gardii ance	ng a Sta <i>Permit</i> .	ite or S Note: I	late-Aid Hi <i>f your prop</i>	ghway? perty is located alon			Town/	□Y Plantati	ES [i	⊿ŃO ad,
5. SUBSURFACE WASTEWATER I	DISP	OSA	L (S	EPT	IC S	YSTEN	l) (Not	e: Exhibit	may be required. S	ee inst	ruction	s)			
5.1 Mark the existing type of system s ☑ Primitive Subsurface Dispos ☐ Holding Tank ☐ Se	al (Pi	rivy, g	raywa	ater –	non-	□ No pressuriz RV			oined Subsurface S non Sewer (Connec つけ りつ	ted to a			ield)		
5.2 Will any expanded, reconstructed pressurized water, or the ability for	r hun	nan h	abita	tion;	or ot	herwise	genera	te addition	ial wastewater?	g, wate	r fixture	98,	□Y	ES [	uno
If YES, you may need to submit E	xnibi	: E: S	ubsu	пасе	wa:	stewate	r vispo	sai. (see in	istructions)						

# RECEIVED

JUN 2 2 2015

	15383							LUPC	- GREENV	ALLE	
6. D	EVELOPMEN	T IN FLOOD PROI	NE AREAS	(Note: Supplement may b	e require	d. See ii	nstruction				
6.1	Protection) Su Agency) flood	ibdistrict, a mapped I zone, or an unmapp	FEMA (Feder ed area prond		nt $\preceq$	FEMA F Unmapp	Flood Zor ed Area	ne Prone to f	Flooding	□YES □YES	☑NO ☑NO
	If you answe office serving	r YES to any of thes your area or downloa	se questions ad at <u>www.ma</u>	, you must complete Supp ine.gov/dacf/lupc/applicat	lement S lion_form	-4: Deve s/index.s	lopment html.	in Flood F	Prone Areas. C	ontact the	LUPC
7. V	EGETATIVE (	LEARING (Note: I	Exhibit may be	e required. See instructio	ns.)			·			
7.1	What is the to driveway and	tal amount of propos the footprint of propo	ed vegetative sed structure	clearing not including the		******		□NA	None		sq. ft
		er NA (not applicable)									
	feet of any lak	es or rivers be less t	han 10,000 s	egetative clearing within 2 quare feet?		<b>□YES</b>	ŊĄÓ	□NA	Total:		sq. ft.
	Will the propo similar bound	sed clearing be locat ary of all public roadv	ed at least 50 vays?	) feet from the right-of-way	/ or		⊠ŃO	□NA	How Close?		feet
	mark of any b flowing water	ody of standing wate draining less than 50	r less than 10 I square miles	feet from the normal high acres in size, any tidal was ?	ater, or	□YES	⊡ŃO	□NA	How Close?	<i></i>	feet
7.5	Will the propo	sed clearing be locat	ed at least 10	00 feet from the normal hig	jh	□YES	Ω₩O	□NA	How Close?		feet
7.0				please explain why your v		. clastina	nronosal	ie naraee	and how it	will not co	eate an
7.0				es in the area:							
	Land Control of the C	and a service of the September of the service of th	and a section of the	The state of the s	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				n   Trainfiller austrikere danna en manerommenten men		
7.7	Buffering in F	rospectively Zoned	I Areas. Is yo	our property located in one	e of the fo	ollowing F	Prospectiv	rely Zoner	d Diantations	<del></del>	<del></del>
										□YES	⊠но
	If YES, please	Adamstown Twp. Rangeley Plt.	Dallas Pit Richardso	Lincoln Pit ontown Twp. Sandy Riv	er Plt.	Maga Town	lloway Plt. ships C, D	), and E.	***************************************		
	If YES, please proposed stru	Adamstown Twp. Rangeley Plt. complete the follow	Dallas Pit Richardso ing table rega	Lincoln Pit ontown Twp. Sandy Riv arding the width of the veg road, property line, and st	er Pit. etative b ubdistrict	Maga Town uffers at t	lloway Plt. ships C, D he narro\	), and E. west point	***************************************		
	If YES, please proposed stru	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare	Dallas Pit Richardso ing table rega	Lincoln Ple ontown Twp. Sandy Riv arding the width of the veg road, property line, and su Width of Vegetated	er Plt. etative bubdistrict Buffers	Maga Town uffers at t setbacks	lloway Plt. ships C, D he narrov as applic	), and E. west point cable:	between the ex	xisting and	d
F-	proposed stru Standard	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare Road	Dallas Pit Richardso ing table rega ast applicable	Lincoln Pit ontown Twp. Sandy Riv arding the width of the veg road, property line, and st	er Plt. etative bubdistrict Buffers	Maga Town uffers at t	lloway Plt. ships C, D he narrov as applic	), and E. west point cable:	***************************************	xisting and	d
	proposed stru	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare	Dallas Plt Richardso ing table rega ist applicable iN2, D-GN3 iS2, D-RS3	Lincoln Ple ontown Twp. Sandy Riv arding the width of the veg road, property line, and su Width of Vegetated	er Plt. etative bubdistrict Buffers	Maga Town uffers at t setbacks	lloway Plt. ships C, D he narrov as applic	o, and E. west point cable:	between the ex	xisting and	d
	proposed stru Standard Minimum	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R	Dallas Plt Richardso ing table rega ist applicable iN2, D-GN3 iS2, D-RS3	Lincoln Plication Lincoln Plication Twp. Sandy Riverding the width of the vegoroad, property line, and subject Width of Vegetated Side Property Line	er Plt. etative bubdistrict Buffers	Maga Town uffers at t setbacks Property L 15 feet	lloway Plt. ships C, D he narrov as applic	o, and E. west point cable:	between the ex	xisting and	d
	proposed stru  Standard  Minimum  Required:  This property:	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a	Dallas Plt Richardso ing table rega st applicable iN2, D-GN3 iS2, D-RS3 nd D-C1 feet	Lincoln Plice Line Lincoln Plice Line Lincoln Property Line 15 feet	er Pit. etative b Jbdistrict Buffers Rear	Maga Town uffers at t setbacks Property L 15 feet	lloway Plt. ships C, C he narrov as applic ine	o, and E. west point cable: Subdistric	between the execution of the control	xisting and ES or D-Ci	d
L	Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a	Dallas Plt Richardso ing table rega est applicable EN2, D-GN3 ES2, D-RS3 IND D-CI feet mit Exhibit F:	Lincoln Plication Twp. Sandy River Indian In	er Pit. etative b ubdistrict Buffers Rear	Maga Town uffers at t setbacks Property L 15 feetfe	lloway Plt. ships C, C he narrov as applic ine	o, and E.  west point cable:  Subdistrict  50 feet to the capte.	between the example.  Boundary (If D-Buffer to other Subject instructions)	xisting and ES or D-CI ubdistricts feet	d
8. S	Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Rangeley Plt.  complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  y be required to subn	Dallas Plt Richardso ing table rega ist applicable iN2, D-GN3 iS2, D-RS3 ind D-C1 feet mit Exhibit F:  ND GRADIN	Lincoln Plication Twp. Sandy Riversiand Sandy Riversiand Sandy Riversiand Sandy Riversiand Sandy Riversiand Sand Sandy Riversiand Sand Property Line Sandy Riversiand Sandy Riversiand Sandy Research	er Pit. etative b ubdistrict Buffers Rear  ctions to B	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine	o, and E.  west point cable:  Subdistrict  50 feet Inents. (Se	between the example of the second of the sec	ES or D-Cl ubdistricts feet uctions.)	d
8. S	Standard Minimum Required: This property: Note: You ma OIL DISTURB Will your proje	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  y be required to subsect involve disturbing	Dallas Pli Richardso ing table rega est applicable EN2, D-GN3 ES2, D-RS3 IND D-CI feet mit Exhibit F:  ND GRADIN soil or filling a	Lincoln Plication Twp. Sandy Riverding the width of the vegoroad, property line, and survival Width of Vegetated Side Property Line  15 feet feet  Documentation for Excepted AND EROSION COmments and grading?	er Pit. etative b ubdistrict Buffers Rear	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine	o, and E.  west point cable:  Subdistrict  50 feet Inents. (Se	between the example of the second of the sec	ES or D-Cl ubdistricts feet uctions.)	)
<b>8. S</b> 8.1	Standard Minimum Required: This property: Note: You ma OIL DISTURB Will your proje If YES, please	Adamstown Twp. Rangeley Plt. e complete the follow clures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  y be required to subsect in the control of the	Dallas Plt Richardso ing table rega est applicable EN2, D-GN3 ES2, D-RS3 IND D-CI feet MIT Exhibit F: IND GRADIN soil or filling a g questions.	Lincoln Plication Twp. Sandy River Indigented Health of the vegoroad, property line, and sure Width of Vegetated Side Property Line  15 feet  feet  Documentation for Exception Gand grading?	er Pit. etative b ubdistrict Buffers Rear  httons to B	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine eet Requiren	Subdistrict  50 feet Intents. (See page 1997)	between the example of the between the example. Buffer to other Some instructions)	ES or D-CI ubdistricts feet uctions.)	)
8. S 8.1 8.2	Standard Minimum Required: This property: Note: You ma OIL DISTURB Will your proje If YES, please What is the to	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  y be required to subset of the complete the following answer the following tal area of proposed	Dallas Plit Richardso ing table regal st applicable IN2, D-GN3 IS2, D-RS3 IND D-CIfeetmit Exhibit F: ND GRADIN soil or filling a g questions. soil disturbar	Lincoln Pile Contown Twp. Sandy Rive Arding the width of the veg Aroad, property line, and so Width of Vegetated Side Property Line  15 feet	er Pit. etative b ubdistrict Buffers Rear etions to B	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine eet Requiren	o, and E.  west point cable:  Subdistrict  50 feet I	between the extended by the between th	ES or D-Cl ubdistricts feet uctions.)	d ) □ □ Info
8. S 8.1 8.2	Standard Minimum Required:  This property: Note: You ma  OIL DISTURB  Will your proje If YES, please What is the to	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  ry be required to submoderate in the following answer the following tal area of proposed of soil disturbance or	Dallas Plit Richardso ing table regal st applicable iN2, D-GN3 iS2, D-RS3 ind D-C1 feet mit Exhibit F: ND GRADIN soil or filling a g questions. soil disturban filling and gra	Lincoln Pilontown Twp. Sandy Rivarding the width of the veg road, property line, and standard Side Property Line  15 feet feet  Documentation for Exception Gand grading?	er Pit. etative b ubdistrict Buffers Rear  httions to B NTROL	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine Requiren axhibit ma	o, and E.  west point cable:  Subdistrict  50 feet Intended to the cable of the cab	between the extended by the between th	ES or D-Cl ubdistricts feet uctions.)  YES	d ) ) ⊡ŃO sq. ft.
8. S 8.1 8.2 8.3	Standard Minimum Required: This property: Note: You ma OIL DISTURB Will your proje If YES, please What is the to Will the area of	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  extra properties of the following of soil disturbance or at is the total square	Dallas Plt Richardso ing table rega ist applicable iN2, D-GN3 iS2, D-RS3 ind D-CI feet mit Exhibit F: ND GRADIN soil or filling a g questions. soil disturban filling and gra feet of soil dis	Lincoln Plication Twp. Sandy River Indigented Figure 1. Lincoln Plication Twp. Sandy River Indigented Sandy Property Line 1. Lincoln Plication Indigented Sandy Property Line 1. Lincoln Plication Indication Indigented Sandy Property Line 1. Lincoln Plication Indigented Sandy Property Line 1. Lincoln Plication Indication Indiana. Lincoln Plication Indication Indiana. Lincoln Plication In	er Pit. etative b ubdistrict Buffers Rear  httons to B NTROL	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine Requiren xhibit ma in 5,000 s	Subdistrict Subdis	between the example of the second of the sec	ES or D-CI ubdistricts feet uctions.)  YES	d )
8. S 8.1 8.2 8.3	Standard Minimum Required:  This property: Note: You ma  OIL DISTURB  Will your proje If YES, please What is the to Will the area of a. If NO, who	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  any be required to substance of soil disturbance or filling and sturbance or filli	Dallas Plit Richardso ing table regal st applicable iN2, D-GN3 iS2, D-RS3 ind D-C1 feet mit Exhibit F:  ND GRADIN soil or filling a g questions. soil disturbar filling and gra feet of soil dis id grading be	Lincoln Pilontown Twp. Sandy Rivarding the width of the veg road, property line, and standard Side Property Line  15 feet feet  Documentation for Exception Gand grading?	er Pit. etative b ubdistrict Buffers Rear  tions to B NTROL  1 9. or river b ading with	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, C he narrov as applic ine Requiren xhibit ma in 5,000 s	Subdistrict Subdis	between the example of the second of the sec	ES or D-CI ubdistricts feet uctions.)  YES	d ) ) Sq. ft. ⊟NO sq. ft.
8. S 8.1 8.2 8.3	Standard Minimum Required:  This property: Note: You ma  OIL DISTURB  Will your proje If YES, please What is the to Will the area of a. If NO, whill Will all soil dis If NO, you will	Adamstown Twp. Rangeley Plt. e complete the follow clures and the neare  Road 25 feet in D-GN, D-G 50 feet in D-RS, D-R 75 feet in D-ES a  expect in D-ES a  ANCE, FILLING A ext involve disturbing answer the followin at area of proposed of soil disturbance or at is the total square sturbance or filling and an area to submit Exh	Dallas Plit Richardsoing table regal st applicable stapplicable siN2, D-GN3 (S2, D-RS3) and D-CI feet mit Exhibit F:  ND GRADIN soil or filling a guestions. soil disturbar filling and grafeet of soil disud grading be ibit G: Erosion	Lincoln Pile Intown Twp. Sandy Riv Intown Twp. Intown	er Pit. etative b ubdistrict Buffers Rear  bitions to B NTROL  n 9. or river b ading with NOT froz	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: E	lloway Plt. ships C, D he narrov as applic ine Requiren xhibit ma	Subdistrict  Subdi	between the example of the second sec	ES or D-CI ubdistricts feet uctions.) □YES □YES	d ) ) Sq. ft. ⊟NO sq. ft.
8. S 8.1 8.2 8.3 8.4	Standard Minimum Required:  This property: Note: You ma  OIL DISTURB  Will your proje If YES, please What is the to Will the area of a. If NO, whill Will all soil dis If NO, you will What will be to Will any remo	Adamstown Twp. Rangeley Plt.  complete the follow clures and the neare  Road  25 feet in D-GN, D-G  50 feet in D-RS, D-R  75 feet in D-ES a  any be required to submit entered to submit exhibited t	Dallas Plit Richardsoing table regainst applicable strapplicable strappl	Lincoln Plication Twp. Sandy Rivarding the width of the veg road, property line, and so Width of Vegetated Side Property Line  15 feet	er Pit. etative b ubdistrict Buffers Rear  otions to B NTROL  of 9. eding with NOT froz rot Plan rest wate	Maga Town uffers at t setbacks Property L 15 feetfe Buffering (Note: Ee less thanin 250 fe een or saturbody or	lloway Plt. ships C, E he narrov as applic ine eet Requiren xhibit ma un 5,000 s et? urated? wetland?	o, and E.  west point cable:  Subdistrict  50 feet Interest (See y be required)	between the extended by the between th	ES or D-CI ubdistricts feet  Ictions.)  YES  YES  YES	d

Question 8 continues onto the next page...


JUN 2 2 2015

	100	(1)	
ND:	16 7	/	
Dr i	/ \	,,	
	1 -2 -5		

LUPC - GREENVILLE

8. SC	IL DISTURBANCE, I	FILLING AND GRADING AND EROS	ION CONTROL	(continue	d from previous page)			
8.8	OR be heavily mulched	d area (other than driveways or walkways I with hay that is tacked down and a minir	num of 4 inches in o	depth to pr	event sedimentation in the	□YES	□NO	
8.9	Will existing waterbodie measures?	es, wetlands, and culverts in the area be p	rotected by the use	of hay ba	les, silt fence or other	YES	□NO	
8.10	What is the average slope of land between the area to be disturbed and	☐ 10% or Less (Requires minimum set ba (Note: Between 10% and 20% average slop average slope of 12% requires a minimum set ☐ 30% (Requires minimum set back of 170	ack of 100') e, an additional 3 foo olback of 106 feet.))	☐ 20% ( of setback is	(Requires minimum setback of 1	130') 5 of slope (ex		
	the nearest	☐ 50% (Requires minimum setback of 250	•		(Requires minimum setback of 290')			
	waterbody or wetland?	☐ 70% (Requires minimum selback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 300 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 300 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum selback of 300 (Note: Between 21% average slope average slope of 36% requires a minimum selback of 300 (Note: Between 21% average slope ave	r') e, an additional 4 foo etback of 194 feet.))	ot setback is	required for each additional 1%	of slope (ex		
8.11	how your project will no	ny of these questions, or your project of treate an undue adverse impact on the story stabilize the site:	resources and use:	s in the are	ea. Include information abou	.10, please It erosion co	explain Introl	
		ALTERATION (Note: Exhibit or Supple						
9.1	Will your proposal alter	a total of one acre or more of land area, v	vhether upland or v	wetland?		YES	□₩Õ	
	If YES, you must also of Wetland Alterations.	complete Exhibit G: Erosion and Sedimen	itation Control Plan	and Supp	lement S-3: Requirements fo	or		
9.2	Will your proposal alter mark of any lake, pond	any amount of land that is mapped P-WL, river, stream, or intertidal area?	Subdistrict, or any	ground be	elow the normal high water	[]YES	₽ŃO	
	If YES, you must also	complete Supplement S-3: Requirements	for Wetland Alterati	ions.				
10. AF	PLICANT SIGNATU	RE (REQUIRED) AND AGENT AUTH	ORIZATION (OF	PTIONAL)				
Agent	Name		Daytime Phone		FAX			
Mailing	Address				Email			
Town					State	Zip Code		
and to or with narrative condition with all busine Buildin Comminspect	the best of my knowled, out any required exhibit we and depiction of what ons to any contractors we conditions and limitations to act as my legal agong and Energy Code (Mission's review is limited to buildings or enforce ar	ad am familiar with the information submitting and belief, this application is complete is that it will result in delays in processing it currently exists on and what is proposed working on my project. I understand that I are of any permits issued to me by the LUI ent in all matters relating to this permit application. JEEC) administered by the Maine Department only to land use issues and the Commission provisions of that Code.	with all necessary on permit decision. at the property. I can ultimately respect. If there is an Aplication. I understant of Public Safesion does not make	exhibits. I The inforcertify that onsible for agent listed and that we any finding any finding any finding any finding.	understand that if the application in this application is a I will give a copy of this perm complying with all applicable I above, I hereby authorize thile there is a required State of Building Codes & Standargs related to the MUBEC, no	ation is inco a true and a nit and asso e regulations nat individua wide Maine rds, the or do the LU	mplete dequate ciated s and l or Uniform	
□lau eva	thorize staff of the Land aluating the site to verify	s below: (see "Accessing the Project Site If Use Planning Commission to access the If the application materials I have submitted and the terms and conditions of my permit.	project site as nec	cessary at a	any reasonable hour for the p	purpose of		
□ I re	quest that staff of the La	and Use Planning Commission make reas purposes of any necessary site evaluation	onable efforts to co and compliance in	ontact me i espection.	n advance to obtain my pern	nission to fu	lly	
		d on the deed, lease or sales contract						
Signat	ure(s)	& Brychard		Date _	6/19/15			
	Dan	Soul ,		Date _	6/14/15			
	E LAND USE PLANNING COMMIS 05/2015)	Sion Scortle Bouche	ad le	119/	S Buildi	ng Permit App pag	lication je 4 of 4	

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for **Exhibit D** in the instructions. Do not use colors. Refer to the instructions for a sample site plan.



## **BUILDING PERMIT BP-15393**

Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the conditions of approval below, your proposal will meet the criteria for approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes and the provisions of the Commission's *Land Use Districts and Standards*. Any variation from the application or the conditions of approval is subject to prior Commission review and approval. Any variation undertaken without Commission approval constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

 $\frac{7}{100} \frac{1}{100} \frac{1}$ 

### **CONDITIONS OF APPROVAL**

#### **General Conditions**

- At least one week prior to commencing the permitted activities, the permittee must contact the Commission staff and notify them of the date construction will start. If these activities include a permanent foundation, the permittee must notify staff of the date the forms will be set. This will allow staff time to arrange a pre-construction site visit to review the applicable standards and requirements of the permit with the permittee. (If you leave a telephone message, please include your full name, telephone number, permit number, and the date/s the work will start.)
- 2. Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 3. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law.
- 4. Structures authorized under this permit, as well as filling/grading/soil disturbance and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in Sections 4, 7 and 8 and approved by this permit.
- 5. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 6. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.
- 7. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- 8. All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 9. Unless otherwise proposed in Question 8.4 and by the submittal of **Exhibit G, Erosion and Sediment Control Plan**, and approved by this permit, soil disturbance must not occur when the ground is frozen or saturated.
- 10. Topsoil must not be removed from the site except for that necessary for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 11. The permittee shall not advertise Land Use Planning Commission approval without first obtaining approval for such advertising. Any such advertising shall refer to this permit only if it also notes that the permit is subject to conditions of approval.

- 12. In the event the permittee should sell or lease this property, the buyer or lessee shall be provided a copy of the approved permit and conditions of approval. The new owner or lessee should then contact the Land Use Planning Commission to have the permit transferred into his/her name. If there are no additional changes the transfer can be accomplished on a Minor Change Form.
- 13. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so as to impair driver vision or to create nuisance conditions.
- 14. The scenic character and healthful condition of the area covered under this permit must be maintained. The area must be kept free of litter, trash, junk cars and other vehicles, and any other materials that may constitute a hazardous or nuisance condition.
- 15. The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program; and the Maine Department of Transportation, Driveway Entrance Permit, a physical E-911 address from your County Commissioner's Office.
- 16. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.